



Boucher-Neuhäuser syndrome

Boucher-Neuhäuser syndrome is a rare disorder that affects movement, vision, and sexual development. It is part of a continuous spectrum of neurological conditions, known as *PNPLA6*-related disorders, that share a genetic cause and have a combination of overlapping features. Boucher-Neuhäuser syndrome is characterized by three specific features: ataxia, hypogonadotropic hypogonadism, and chorioretinal dystrophy.

Ataxia describes difficulty with coordination and balance. In Boucher-Neuhäuser syndrome, it arises from a loss of cells (atrophy) in the part of the brain involved in coordinating movements (the cerebellum). Affected individuals have an unsteady walking style (gait) and frequent falls.

Another key feature of Boucher-Neuhäuser syndrome is hypogonadotropic hypogonadism, which is a condition affecting the production of hormones that direct sexual development. Affected individuals have a delay in development of the typical signs of puberty, such as the growth of facial hair and deepening of the voice in males, and the start of monthly periods (menstruation) and breast development in females. Other hormone abnormalities lead to short stature in some affected individuals.

The third characteristic feature of Boucher-Neuhäuser syndrome is eye abnormalities, most commonly chorioretinal dystrophy. Chorioretinal dystrophy refers to problems with the light-sensitive tissue that lines the back of the eye (the retina) and a nearby tissue layer called the choroid. These eye abnormalities lead to impaired vision. People with Boucher-Neuhäuser syndrome can also have abnormal eye movements, including involuntary side-to-side movements of the eyes (nystagmus).

The key features of Boucher-Neuhäuser syndrome can begin anytime from infancy to adulthood, although at least one feature usually occurs by adolescence. Ataxia is often the initial symptom of the disorder, but vision problems or delayed puberty can be the earliest finding. Vision and movement problems worsen slowly throughout life and can result in blindness or the need for a wheelchair for mobility in the most severely affected individuals.

People with Boucher-Neuhäuser syndrome can have additional medical problems, including muscle stiffness (spasticity); impaired speech (dysarthria); and difficulty processing, learning, or remembering information (cognitive impairment).

Frequency

Boucher-Neuhäuser syndrome is a rare condition. Its prevalence is unknown.

Genetic Changes

Most cases of Boucher-Neuhäuser syndrome are caused by mutations in the *PNPLA6* gene. Such mutations are the only known cause of the condition. Researchers speculate that as-yet-unidentified mutations in the *PNPLA6* gene or changes in other genes are involved in the remainder of cases.

The *PNPLA6* gene provides instructions for making a protein called neuropathy target esterase (NTE), which helps regulate the amount of certain fats (lipids) that make up the outer membrane surrounding cells. The correct levels of these lipids are critical to the stability and function of cell membranes. In particular, the NTE protein breaks down (metabolizes) a lipid called lysophosphatidylcholine, which in high amounts can damage cells. NTE is found most abundantly in the nervous system and is thought to help maintain the stability of membranes surrounding nerve cells (neurons). NTE is also thought to play a role in the release of hormones from the pituitary gland, a process that requires particular changes in the cell membrane. The pituitary gland is located at the base of the brain and produces several hormones, including those that help direct sexual development and growth.

PNPLA6 gene mutations are thought to impair NTE's function. However, it is unclear how these mutations cause Boucher-Neuhäuser syndrome. Researchers speculate that impairment of lysophosphatidylcholine metabolism alters the balance of lipids in the cell membrane. This imbalance may damage neurons, leading to the movement and vision problems that characterize Boucher-Neuhäuser syndrome. The imbalance may also impair the release of hormones involved in sexual development, accounting for the delayed puberty in affected individuals.

Researchers are unsure how mutations in the *PNPLA6* gene lead to different combinations of features, resulting in the spectrum of *PNPLA6*-related disorders.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- ataxia-hypogonadism-choroidal dystrophy syndrome
- BNHS
- BNS

- chorioretinal dystrophy, spinocerebellar ataxia, and hypogonadotropic hypogonadism
- spinocerebellar ataxia, hypogonadotropic hypogonadism, and chorioretinal dystrophy

Diagnosis & Management

These resources address the diagnosis or management of Boucher-Neuhäuser syndrome:

- GeneReview: PNPLA6-Related Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK247161>
- Genetic Testing Registry: Boucher Neuhauser syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1859093/>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Blindness and Vision Loss
<https://medlineplus.gov/ency/article/003040.htm>
- Encyclopedia: Hypogonadotropic Hypogonadism
<https://medlineplus.gov/ency/article/000390.htm>
- Encyclopedia: Movement-Uncoordinated
<https://medlineplus.gov/ency/article/003198.htm>
- Encyclopedia: Nystagmus
<https://medlineplus.gov/ency/article/003037.htm>

- Health Topic: Movement Disorders
<https://medlineplus.gov/movementdisorders.html>
- Health Topic: Vision Impairment and Blindness
<https://medlineplus.gov/visionimpairmentandblindness.html>

Genetic and Rare Diseases Information Center

- Ataxia - hypogonadism - choroidal dystrophy
<https://rarediseases.info.nih.gov/diseases/944/ataxia---hypogonadism---choroidal-dystrophy>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Ataxias and Cerebellar or Spinocerebellar Degeneration Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Ataxias-and-Cerebellar-or-Spinocerebellar-Degeneration-Information-Page>

Educational Resources

- Disease InfoSearch: Boucher Neuhauser Syndrome
<http://www.diseaseinfosearch.org/Boucher+Neuhauser+Syndrome/902>
- Johns Hopkins Medicine: What is Ataxia
http://www.hopkinsmedicine.org/neurology_neurosurgery/centers_clinics/movement_disorders/ataxia/conditions/
- KidsHealth: Delayed Puberty
<http://kidshealth.org/en/teens/delayed-puberty.html>
- MalaCards: boucher-neuhauser syndrome
http://www.malacards.org/card/boucher_neuhauser_syndrome_2
- Merck Manual Consumer Version: Coordination Disorders
<http://www.merckmanuals.com/home/brain-spinal-cord-and-nerve-disorders/movement-disorders/coordination-disorders>
- Orphanet: Ataxia-hypogonadism-choroidal dystrophy syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=1180

Patient Support and Advocacy Resources

- American Foundation for the Blind
<http://www.afb.org/default.aspx>
- Foundation Fighting Blindness
<http://www.blindness.org/>
- Hormone Health Network
<http://www.hormone.org/>

- National Ataxia Foundation
<http://www.ataxia.org/>
- Resource List from the University of Kansas Medical Center: Ataxia
<http://www.kumc.edu/gec/support/ataxia.html>

GeneReviews

- PNPLA6-Related Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK247161>

Genetic Testing Registry

- Boucher Neuhauser syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1859093/>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22Boucher-Neuhauser+syndrome%22+OR+%22ataxia-hypogonadism-choroidal+dystrophy+syndrome%22>

Scientific articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Boucher-Neuhauser+syndrome%5BTIAB%5D%29+AND+english%5BIa%5D+AND+human%5Bmh%5D>

OMIM

- BOUCHER-NEUHAUSER SYNDROME
<http://omim.org/entry/215470>

Sources for This Summary

- Deik A, Johannes B, Rucker JC, Sánchez E, Brodie SE, Deegan E, Landy K, Kajiwara Y, Scelsa S, Saunders-Pullman R, Paisán-Ruiz C. Compound heterozygous PNPLA6 mutations cause Boucher-Neuhäuser syndrome with late-onset ataxia. *J Neurol*. 2014 Dec;261(12):2411-23. doi: 10.1007/s00415-014-7516-3. Epub 2014 Sep 30.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25267340>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4245359/>
- GeneReview: PNPLA6-Related Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK247161>
- Sogorb MA, Pamies D, Estevan C, Estévez J, Vilanova E. Roles of NTE protein and encoding gene in development and neurodevelopmental toxicity. *Chem Biol Interact*. 2016 Jul 28. pii: S0009-2797(16)30304-0. doi: 10.1016/j.cbi.2016.07.030. [Epub ahead of print]
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/27475862>

- Synofzik M, Gonzalez MA, Lourenco CM, Coutelier M, Haack TB, Rebelo A, Hannequin D, Strom TM, Prokisch H, Kernstock C, Durr A, Schöls L, Lima-Martínez MM, Farooq A, Schüle R, Stevanin G, Marques W Jr, Züchner S. PNPLA6 mutations cause Boucher-Neuhauser and Gordon Holmes syndromes as part of a broad neurodegenerative spectrum. *Brain*. 2014 Jan;137(Pt 1):69-77. doi: 10.1093/brain/awt326. Epub 2013 Dec 19.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24355708>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3891450/>
- Tarnutzer AA, Gerth-Kahlert C, Timmann D, Chang DI, Harmuth F, Bauer P, Straumann D, Synofzik M. Boucher-Neuhauser syndrome: cerebellar degeneration, chorioretinal dystrophy and hypogonadotropic hypogonadism: two novel cases and a review of 40 cases from the literature. *J Neurol*. 2015 Jan;262(1):194-202. doi: 10.1007/s00415-014-7555-9. Epub 2014 Oct 31. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25359264>
- Topaloglu AK, Lomniczi A, Kretschmar D, Dissen GA, Kotan LD, McArdle CA, Koc AF, Hamel BC, Guclu M, Papatya ED, Eren E, Mengen E, Gurbuz F, Cook M, Castellano JM, Kekil MB, Mungan NO, Yuksel B, Ojeda SR. Loss-of-function mutations in PNPLA6 encoding neuropathy target esterase underlie pubertal failure and neurological deficits in Gordon Holmes syndrome. *J Clin Endocrinol Metab*. 2014 Oct;99(10):E2067-75. doi: 10.1210/jc.2014-1836. Epub 2014 Jul 17.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25033069>
- Vose SC, Fujioka K, Gulevich AG, Lin AY, Holland NT, Casida JE. Cellular function of neuropathy target esterase in lysophosphatidylcholine action. *Toxicol Appl Pharmacol*. 2008 Nov 1;232(3):376-83. doi: 10.1016/j.taap.2008.07.015. Epub 2008 Jul 25.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18706436>
- Zaccheo O, Dinsdale D, Meacock PA, Glynn P. Neuropathy target esterase and its yeast homologue degrade phosphatidylcholine to glycerophosphocholine in living cells. *J Biol Chem*. 2004 Jun 4;279(23):24024-33. Epub 2004 Mar 25.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15044461>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/boucher-neuhauser-syndrome>

Reviewed: October 2016

Published: January 31, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services